

# MSDS - Material Safety Data Sheet

## Product Name: High Energy Supplement

MSDS No.: 0039

### I. Basic Information:

**Manufacturer:** Pegasus Laboratories, Inc.  
**Address:** 8809 Ely Road  
**City, ST Zip:** Pensacola, FL 32514  
**Emergency Contact:** Chemtrec  
**Emergency Telephone Number:** 800-424-9300  
**Contact:** Carl Causey  
**Information Telephone Number:** 850-478-2770



<b>1</b>	Health
<b>1</b>	Flammability
<b>0</b>	Reactivity
	Pers. Protection

**Last Update:** 02/20/2003

**Chemical State:**  Liquid     Gas     Solid  
**Chemical Type:**  Pure     Mixture

### II. Ingredients:

Trade Secret

CAS No.	Chemical Name	% Range	EHS		IARC		SARA		OSHA PEL	ACGIH TLV	Other Limits
			NTP		SUB Z	313					
9003014	Acrylic Polymer	1-5							NI	NI	NI
1185575	Ferric ammonium citrate	0.05-0.5							NI	NI	NI
57556	Propylene glycol	90-98							NI	NI	NI

### III. Hazardous Identification:

**Hazard Category:**

Acute                       Chronic                       Fire                       Pressure                       Reactive

**Hazardous Identification Information:**

Propylene glycol mist may cause mild irritation to the eyes and irritation to the upper respiratory tract if inhaled. Repeated contact with the skin may cause flaking and softening.

### IV. First Aid Measures:

**Route(s) of Entry:**

Contact, Inhalation, and Ingestion

**Health Hazards (Acute and Chronic):**

Eyes: Eye contact with product may cause irritation and redness.

Skin: Contact with skin may cause irritation.

Inhalation: Inhalation may cause irritation, headache, nausea, and drowsiness.

Ingestion: Ingestion may cause irritation and nausea if administered in dosages other than prescribed.

**Signs and Symptoms:**

# MSDS - Material Safety Data Sheet

## Product Name: High Energy Supplement

MSDS No.: 0039

NI

**Medical Conditions Generally Aggravated by Exposure:**

NI

**Emergency and First Aid Procedures:**

Eyes: Immediately flush eyes with large quantity of water for 10-15 minutes. Get medical attention.

Skin: Flush skin with plenty of water for at least 15 minutes, while removing contaminated clothing. Thoroughly clean clothing and shoes before reuse.

Inhalation: Immediately move victim to fresh air.

Ingestion: For an overdose, have victim drink water or milk to dilute. Call a physician immediately. Induce vomiting only if advised by a physician.

**Other Health Warnings:**

NI

### V. Fire Fighting Measures:

**Flash Point:** >200F

**Lower Explosive Limit:** NI

**Upper Explosive Limit:** NI

**F.P. Method:** TCC

**Fire Extinguishing Media:** Dry chemical, water spray/fog, foam and carbon dioxide.

**Special Fire Fighting Procedures:**

Prevent human exposure to fire, fumes, smoke, and products of combustion. Evacuate non-essential personnel. Firefighters should wear full-face, self-contained breathing apparatuses and protective clothing. Prevent pollution of ground water from fire control run-off.

**Unusual Fire and Explosion:**

NI

### VI. Accidental Release Measures:

**Steps to be Taken in Case Material is Released or Spilled:**

In case of spills, contain and dispose of in accordance with federal, state, and local regulations. Ventilate spill area and flush area with water.

### VII. Handling and Storage:

**Precautions to be Taken:**

Protect container against physical damage. Store in cool dry area, inaccessible to children and pets.

**Other Precautions:**

NI

### VIII. Exposure Controls/Personal Protection:

**Ventilation Requirements:**

Handle in well-ventilated area. Where excessive exposure is likely, use NIOSH/MSHA approved protection equipment.

**Personal Protective Equipment:**

# MSDS - Material Safety Data Sheet

## Product Name: High Energy Supplement

### MSDS No.: 0039

Wear gloves and protective clothing if there is potential for prolonged/repeated skin contact. Wear safety glasses and chemical safety goggles whenever there is the possibility of contact with the eye.

### IX. Physical and Chemical Properties:

**Boiling Point:** >300 F

**Melting Point:** NI

**Evaporation Rate (Butyl Acetate = 1):** <0.01

**Vapor Pressure (mm Hg.):** NI

**Specific Gravity (H<sub>2</sub>O = 1):** 1.04000

**Vapor Density (AIR = 1):** NI

**Solubility In Water:** Soluble

**Appearance and Odor:** Dark brown viscous liquid

**Other Information:**

Density = 8.7 lbs./gal.

### X. Stability and Reactivity:

**Stability:**

Stable

**Incompatibility (Materials to Avoid):**

Avoid contact with bleaching agents and oxidizers.

**Decomposition/By Products:**

If product is burned, carbon monoxide, carbon dioxide and miscellaneous organic compounds are produced (some potentially toxic).

**Hazardous Polymerization:**

Will Not Occur.

### XI. Toxicological Information:

NI

### XII. Ecological Information:

NI

### XIII. Disposal Considerations:

Dispose of at an approved facility in accordance with applicable regulations under RCRA and in accordance with all federal, state, and local regulations.

### XIV. Transport Information:

NI

### XV. Regulatory Information:

# *MSDS - Material Safety Data Sheet*

## *Product Name: High Energy Supplement*

### *MSDS No.: 0039*

OSHA STATUS: This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

TSCA STATUS: The ingredients of this product are on the TSCA inventory.

CERCLA REPORTABLE QUANTITY: None

#### SARA TITLE III:

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES: None

SECTION 311/312 HAZARD CATEGORIES: Immediate and delayed health hazard.

SECTION 313 TOXIC CHEMICALS: None

RCRA STATUS: If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

### ***XVI. Other Information:***

Reason for Issue: New MSDS in the ANSI Z 400.1-1998 format.

NI= Not Indicated.

>= Greater Than

<= Less Than

The information and statements in this Material Safety Data Sheet are believed to accurately reflect the scientific evidence used in making the hazard identification but is not to be construed as a warranty or representation for which we assume legal responsibility. Additional information may be necessary or desirable depending on particular, exceptional, or variable conditions or circumstances of use or storage or because of locally applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information available to you and must make independent determinations of the suitability of the information for your particular circumstance or conditions and of the completeness of the information available from all sources to assure both the proper use of the material described herein and the safety and health of employees.