

PROIN[®]

Supplemental Product for Urinary Incontinence in Dogs

Canine urinary incontinence is a frustrating problem for many pet owners. It can occur at any age and in either sex, although it is most common in older females. Proin[®] ppa can help.

The active ingredient in Proin, phenylpropanolamine (ppa), is available only by veterinary prescription. Proin is specifically formulated for easy administration and is available in three strengths; 25, 50 and 75 mg liver- flavored tablets as well as 25 mg/mL vanilla flavored drops. The flavoring encourages client compliance; most dogs will accept Proin tablets as a treat, and Proin Drops can be added to food.

Why PROIN?

- Contains no beef or beef by-products
- Scored tablets
- Free client education materials available
- Multiple strength options
- Dosage range 1-2 m/kg of body weight every 12 hours



Available Sizes:

Proin Drops

Vanilla flavored drops
25mg/mL - 2 oz.

Proin Chewable Tablets

Liver-flavored chewable tablets
25 mg/60 ct.
25 mg/180 ct.
50 mg/60 ct.
50 mg/180 ct.
75 mg/60 ct.



CAUTION: Federal law restricts this drug to be used by or on the order of a licensed veterinarian

PROIN®

Supplemental Product for Urinary Incontinence in Dogs

PROIN® 25

Chewable Tablets
60 & 180 count tablets
Each tablet contains: Phenylpropanolamine HCl 25 mg

PROIN® 50

Chewable Tablets
60 & 180 count tablets
Each tablet contains: Phenylpropanolamine HCl 50 mg

PROIN® 75

Chewable Tablets
60 count tablets
Each tablet contains: Phenylpropanolamine HCl 75 mg

DOSAGE:

1 to 2 mg/kg of body weight every 12 hours

Store at controlled room temperature (59° – 86° F)

CAUTION:

May cause excitability and restlessness

For animal use only

CAUTION:

Federal law restricts this drug to use on the order of a licensed veterinarian

Keep out of reach of children and pets

For veterinary use only

Not for Human use

PROIN® Drops

DOSAGE

1 to 2 mg/kg of body weight every 12 hours

DIRECTIONS

Use as directed by veterinarian. Mixes well with canine's food.

CONTAINS

25 mg/mL phenylpropanolamine HCl

Store at controlled room temperature

CAUTION

May cause excitability and restlessness

CAUTION

Federal law restricts this drug to be used by or on the order of a licensed veterinarian

