vet-kem®

FOGGER

- **Kills fleas and their hatching eggs, ticks, cockroaches, ants, spiders, mosquitoes, and silverfish**
- **Prevents flea reinfestation and flea build-up for 7 months**
- **Leaves no lingering odor or stains**

ACTIVE INGREDIENTS:

(S)-Methoprene (CAS #65733-16-6)	0.09%
Permethrin (CAS #52645-53-1)	0.58%
OTHER INGREDIENTS*:	99.33%
TOTAL	100.00%

*Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN
CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION: USE ONLY WHEN AREA TO BE TREATED IS VACATED BY HUMANS AND PETS.

Harmful if absorbed through the skin. Avoid contact with skin, eyes, or clothing. Breathing spray mist may be harmful. Applicators and other handlers must wear: Long sleeve shirt and long pants, shoes plus socks, and chemical-resistant gloves (barrier laminate or butyl rubber ≥ 14 mils). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. If pet is exposed to wet surface, wash fur with soap and water.

FIRST AID	
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed	• Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give ***ANY*** liquid to the person. • Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-888-241-9545 for emergency medical treatment information. Contact veterinarian if pets are exposed during application.	
Note to Physician/Veterinarian: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.	

Highly Flammable Ingredient

Ingredients Altamente Inflamable

PHYSICAL OR CHEMICAL HAZARDS: Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. **THIS PRODUCT CONTAINS A HIGHLY FLAMMABLE INGREDIENT. IT MAY CAUSE A FIRE OR EXPLOSION IF NOT USED PROPERLY. FOLLOW THE "DIRECTIONS FOR USE" ON THIS LABEL VERY CAREFULLY.**

FLEA LIFE CYCLE



IMPORTANT INFORMATION ABOUT FLEA CONTROL

To minimize flea infestation, it is necessary to treat not only your pets, but also their surrounding environment. Vet-Kem® products have been formulated to work well together. For best results, simply follow these three easy steps:

1. TREAT YOUR PET

- Apply a topical or shampoo to your pet to kill biting adult fleas on your pet.
- Vet-Kem® products in Step 1 kill adult fleas and flea eggs with a combination of an adulticide and an Insect Growth Regulator.

2. TREAT THE AREAS YOUR PET FREQUENTS

- Vet-Kem® products in Step 2 contain an Insect Growth Regulator. Use a Vet-Kem® Aerosol, Fogger, or Spray to kill adult fleas and flea larvae in your home.
- Follow individual product directions to kill additional fleas which may later emerge from protected cocoons.

3. MAINTAIN YOUR FLEA-FREE PET

- Use Vet-Kem® Flea, Tick And Bot Spray to kill any fleas your pet picks up on outings.
- Vet-Kem® products in Step 3 kill adult fleas and flea eggs using a combination of an adulticide and an insect growth regulator.

Vet-Kem® Fogger kills adult fleas, hatching flea eggs, ticks, house flies, gnats, cockroaches, carpet beetles, ants, spiders, flying moths, clothes moths, mosquitoes, silverfish, sawtoothed grain beetles, rice weevils, pill bugs, crickets, confused flour beetles, wasps, hornets, and palmetto bugs. **Does not control bed bugs.** (S)-Methoprene insect growth regulator, the ingredient in Vet-Kem® Fogger, provides 30 weeks' protection by preventing eggs from ever developing into biting fleas. Vet-Kem® Fogger enables you to fill an entire room with insect-killing fog while you are away. For best results, use Vet-Kem® Fogger together with other Vet-Kem® products for complete control of fleas and ticks.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply when food is present.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover and turn off fish aquariums before use.

Do not use in greenhouses where plants are grown for food.

Wait two hours after application, then open windows, vents and doors to outdoors for two hours. If an odor is still detected, continue ventilating until no remaining trace or odor of pesticide remains.

Do not use in aircraft cabins.

Remove poultry before treating poultry houses.

When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Use one fogger for each 375 square feet of floor space (a room 15' X 25' with an 8' ceiling or 3,000 cubic feet).

TO USE THIS PRODUCT CORRECTLY:

DO NOT use multiple foggers per room.

DO NOT use in small confined spaces such as closets, cabinets, or under counters or tables. Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property. DO NOT use in a room 5' X 5' or smaller; instead, allow fog to enter from other rooms.

UNPLUG AND TURN OFF ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).

NO FLAMES OR PILOT LIGHTS. Call your gas utility or management company if you need assistance with your pilot lights.

BEFORE YOU FOG:

Vacuum thoroughly before fogging. To ensure unobstructed flow of fogger mist, OPEN inside doors and cabinets. REMOVE or cover exposed food, dishes, utensils, food preparation equipment, and surfaces. CLOSE outside doors and windows. Remove all motor vehicles before fogging garage.

TO START FOGGING:

SHAKE WELL BEFORE USING. Elevate fogger by placing on stand or table covered by newspaper in center of room to be fogged. Spread newspapers on the floor for several feet around area of release. Before activating, tilt can AWAY from face (container sprays straight up). Press down firmly on edge of actuator tab until it locks into place. After activating fogger, leave room or house at once. For best results, spot treat with Vet-Kem® premise products under beds, furniture, or obstructed areas where fogger mist may not penetrate. After activating fogger, **vacate the treated house, individual apartment unit, or other structure immediately.** Use enclosed Door Hang Tag to mark the time when re-entry is permitted (at least two hours after the start time). Fill out and place hang tag on the door to the treated area to alert family and others with access to the treated area not to enter for two hours.

AIRING OUT:

Do Not Re-enter for Two Hours.

Air out the room before entering. Keep treated area closed for at least two hours, then open all doors and windows and allow treated area to air for two hours before returning.



STORAGE and DISPOSAL:

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do Not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

For more information about Vet-Kem® products or about flea and tick problems and how to solve them, or in case of emergency, call 1-888-241-9545.

www.vet-kem.com

PRN PHARMACAL™

Distributed by:
PRN Pharmacal
8809 Ely Road
Pensacola, FL 32514

07-2017 AP081814
EPA REG. NO. 2724-454-92895

Vet-Kem and the Vet-Kem design are registered trademarks of Pegasus Laboratories, Inc.

PRN Logo is a trademark of Pegasus Laboratories, Inc.

© 2017 Pegasus Laboratories, Inc.

Product Code: 100526871

ATTENTION: This specimen label is provided for informational use only. This product may not yet be available for sale in your state or area. The information found in this label may differ from the information found on the product label you are using. Always follow the instructions for use and precautions on the label of the product you are using.